

Use the formula


## length $\times$ width $\times$ height

to calculate the volume of a cuboid.


1) Calculate the volume for each of these cuboids.








2) Calculate the missing values in each of these cuboids.




$$12 \times 2 \times _{---} = 72 \text{cm}^3$$

b) Not drawn to scale



$$\times$$
 4 × 6 = 120cm<sup>3</sup>

c) Not drawn to scale



$$8 \times _{---} \times 2 = 112 \text{cm}^3$$


Use the formula

## length × width × height

to calculate the volume of a cuboid.



1) Two children are discussing the best way to find the volume of this cuboid.



Amrit says - To work out the volume I made sure to use the formula length  $\times$  width  $\times$  height in order.



 $4 \times 6 = 24$ 

 $24 \times 5 = 120 \text{cm}^3$ 



Noah says - I just multiplied the measurements in the order I found the easiest and quickest to work out.




 $4 \times 5 = 20$ 

 $20 \times 6 = 120 \text{cm}^3$ 



Will Noah's method always work? Explain your answer fully.

2) Ada measures the sides of this cuboid in order to find the volume.



All of the sides are even numbers.

I calculated that the volume of my shape was  $17 \text{cm}^3$ .



Ada

I don't think Ada's answer can be correct if all the sides were even number.



Chelsea

Do you agree with Chelsea? Explain your reasoning.






Use the formula

## length × width × height


to calculate the volume of a cuboid.

1) A cuboid has sides that are whole numbers. No side is smaller than 3cm or longer than 10cm. It has a volume between 70cm<sup>3</sup> and 75cm<sup>3</sup>.




width =
$$\_\_$$
cm

2) When added together, two different cuboids have a volume equal to 120cm<sup>3</sup>. Give the possible dimensions of these cuboids.



+



 $= 120 \text{ cm}^3$ 

Find 5 different answers.

(Rearranging the order of the measurements is not accepted as a different answer.)